

# SAFETY DATA SHEET

## IMMOIL-F30CC

---

### SECTION 1: Identification of the hazardous chemical and of the supplier

**Product identifier**

Product name : IMMOIL-F30CC  
Chemical name :  
CAS-No. : Not Assigned  
Product code : UFI Codes : 07RY-Y084-K005-J7RD

**Recommended use of the chemical and restrictions on use**

Recommended use : Industrial use  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : Evident Corporation  
Address : 6666 Inatomi Tatsuno-machi  
Kamiina-gun Nagano Japan 399-0495  
Telephone : +81-266-41-4140  
Emergency telephone number : +44-1865-407333

---

### SECTION 2: Hazards identification

**Classification of the hazardous chemical**

Skin sensitisation : Category 1  
Aspiration hazard : Category 1  
Hazardous to the aquatic environment - acute hazard : Category 1  
Hazardous to the aquatic environment - chronic hazard : Category 1

**Label elements**

Hazard pictograms : 

Signal word : Danger

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

Hazard statements : H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
4-(1-Phenylethyl)-o-xylene	6196-95-8	>= 10 -< 25
4-(1-Phenylethyl)-m-xylene	6165-52-2	>= 10 -< 25
2-(1-Phenylethyl)-p-xylene	6165-51-1	>= 5 -< 10
Ethyl(phenylethyl)benzene	64800-83-5	>= 5 -< 10

**SECTION 4: First aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures****Extinguishing media**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

- Unsuitable extinguishing media : None known.

**Physicochemical hazards arising from the chemical**

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

- Hazardous combustion products : Carbon oxides

**Special protective equipment and precautions for fire-fighters**

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Hazchem Code : •3Z

---

**SECTION 6: Accidental release measures**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

**Storage****Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

---

**SECTION 8: Exposure controls and personal protection****Control parameters**

Contains no substances with occupational exposure limit values.

**Appropriate engineering controls** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses

Skin protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

## Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

---

**SECTION 9: Physical and chemical properties**

Appearance	:	liquid
Colour	:	colourless
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	< 200 °C
Flash point	:	134 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	< 1.0
Relative density	:	0.9169 (15 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	insoluble

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	Not applicable

---

**SECTION 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Not classified based on available information.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version            Revision Date:            SDS Number:            Date of last issue: -  
1.0                28.10.2024              11457945-00001        Date of first issue: 28.10.2024

---

**4-(1-Phenylethyl)-m-xylene:**

Acute oral toxicity            : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity         : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**2-(1-Phenylethyl)-p-xylene:**

Acute oral toxicity            : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

**Ethyl(phenylethyl)benzene:**

Acute oral toxicity            : LD50 (Rat): > 1,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity         : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Ethyl(phenylethyl)benzene:**

Species                         : Rabbit  
Result                            : Skin irritation  
Remarks                         : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Species                         : Rabbit  
Result                            : No eye irritation  
Remarks                         : Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Species                         : Rabbit  
Result                            : No eye irritation  
Remarks                         : Based on data from similar materials

**Ethyl(phenylethyl)benzene:**

Species                         : Rabbit  
Result                            : No eye irritation  
Remarks                         : Based on data from similar materials



**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Species	:	Guinea pig
Method	:	Buehler Test
Result	:	negative
	:	Guinea pig
	:	Maximisation Test
	:	The product is a skin sensitiser, sub-category 1A.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**Ethyl(phenylethyl)benzene:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Method: OECD Test Guideline 471
		Result: negative
		Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Method: OECD Test Guideline 473  
 Result: negative  
 Remarks: Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative  
 Remarks: Based on data from similar materials

**2-(1-Phenylethyl)-p-xylene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

**Ethyl(phenylethyl)benzene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Result: negative  
 Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 24 Months  
 Result : negative  
 Remarks : Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Species : Rat  
 Application Route : Ingestion

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Exposure time : 24 Months  
 Result : negative  
 Remarks : Based on data from similar materials

**Reproductive toxicity**

Not classified based on available information.

**Components:****4-(1-Phenylethyl)-o-xylene:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

**2-(1-Phenylethyl)-p-xylene:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative

**Ethyl(phenylethyl)benzene:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****2-(1-Phenylethyl)-p-xylene:**

Exposure routes : Ingestion  
 Target Organs : Adrenal gland  
 Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

**Repeated dose toxicity****Components:****2-(1-Phenylethyl)-p-xylene:**

Species : Rat, male  
 LOAEL : 12.5 mg/kg  
 Application Route : Ingestion  
 Exposure time : 47 Days  
 Method : OECD Test Guideline 422

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Components:****4-(1-Phenylethyl)-o-xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

**4-(1-Phenylethyl)-m-xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**2-(1-Phenylethyl)-p-xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Ethyl(phenylethyl)benzene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**SECTION 12: Ecological information****Ecotoxicity****Components:****4-(1-Phenylethyl)-o-xylene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**2-(1-Phenylethyl)-p-xylene:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.31 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.25 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (fresh water algae)): > 1.54 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (fresh water algae)): 0.73 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.034 mg/l  
Exposure time: 40 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.009 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Ethyl(phenylethyl)benzene:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****4-(1-Phenylethyl)-o-xylene:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**4-(1-Phenylethyl)-m-xylene:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**2-(1-Phenylethyl)-p-xylene:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Ethyl(phenylethyl)benzene:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****4-(1-Phenylethyl)-o-xylene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): > 500  
Method: OECD Test Guideline 305  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

**4-(1-Phenylethyl)-m-xylene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

Bioconcentration factor (BCF): > 500  
 Method: OECD Test Guideline 305  
 Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: > 4  
 Remarks: Calculation

**2-(1-Phenylethyl)-p-xylene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
 Bioconcentration factor (BCF): 620 - 760  
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.39  
 Method: OECD Test Guideline 107

**Ethyl(phenylethyl)benzene:**

Partition coefficient: n-octanol/water : log Pow: > 4  
 Remarks: Calculation

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**SECTION 13: Disposal information****Disposal methods**

Waste from residues : Disposal of waste to be in accordance with the Environmental Quality (Scheduled Wastes) Regulations and other guidelines issuance by DOE and/or local authorities.  
 Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

**SECTION 14: Transport information****International Regulations****UNRTDG**

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)

Class : 9  
 Packing group : III  
 Labels : 9  
 Environmentally hazardous : yes

**IATA-DGR**



**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

**IMDG-Code**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

Hazchem Code	: •3Z
--------------	-------

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

**SECTION 16: Other information**

Revision Date	: 28.10.2024
---------------	--------------

**Further information**

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---

Date format	: dd.mm.yyyy
-------------	--------------

**SAFETY DATA SHEET****IMMOIL-F30CC**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.10.2024	11457945-00001	Date of first issue: 28.10.2024

---

**Full text of other abbreviations**

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

MY / EN