according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier						
	Trade name	:	IMMOIL-F30CC				
	Product code	:	UFI Codes : 07RY-Y084-K005-J7RD				
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against				
	Use of the Sub- stance/Mixture	:	Industrial use				
	Recommended restrictions on use	:	Not applicable				
1.3	1.3 Details of the supplier of the safety data sheet						
	Company	:	Evident Europe GmbH Caffamacherreihe 8-10 20355 Hamburg, Germany				
	Telephone	:	+49 40-87709-700				
	E-mail address of person responsible for the SDS	:	EMEA-HSE-SAFETY@evidentscientific.com				

1.4 Emergency telephone number

Carechem24 English: +44-1865-407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	2/2008)
Skin sensitisation, Sub-category 1A	H317: May cause an allergic skin reaction.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

2.2

egory 1		effects.					
Label elements	Label elements						
Labelling (REGULATION (EC) No 1272/2008)							
Hazard pictograms	:						
Signal word	:	Danger					
Hazard statements	:	H304 May be fatal if swallowed and enters airways.					
		H317 May cause an allergic skin reaction.H410 Very toxic to aquatic life with long lasting effects.					
Precautionary statements	:	Prevention:					
		P273 Avoid release to the environment.P280 Wear protective gloves.					
		Response:					
		P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.					
		P331 Do NOT induce vomiting. P333 + P313 If skin irritation or rash occurs: Get medical					
		advice/ attention.					
		P391 Collect spillage.					

Hazardous components which must be listed on the label:

4-(1-Phenylethyl)-o-xylene 4-(1-Phenylethyl)-m-xylene 2-(1-Phenylethyl)-p-xylene Ethyl(phenylethyl)benzene

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
4-(1-Phenylethyl)-o-xylene	6196-95-8 228-249-2	Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	-
4-(1-Phenylethyl)-m-xylene	6165-52-2 228-202-6	Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
2-(1-Phenylethyl)-p-xylene	6165-51-1 228-201-0	STOT RE 2; H373 (Adrenal gland) Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	-
Ethyl(phenylethyl)benzene	64800-83-5 265-241-8	Skin Irrit. 2; H315 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10
		M-Factor (Acute aquatic toxicity): 1	-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

	M-Factor (Chronic aquatic toxicity): 1
--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.	
			When symptoms persist or in all cases of doubt seek medical advice.	
	Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).	
	If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
	In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.	
	In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.	
	If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms and effects, both acute and delayed				
	Risks	:	May be fatal if swallowed and enters airways.	

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : Treat symptomatically and supportively.

May cause an allergic skin reaction.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Unsuitable extinguishing	:	None known.
media		

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod-	:	Carbon oxides

5.3 Advice for firefighters

ucts

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment.
		Prevent further leakage or spillage if safe to do so.
		Prevent spreading over a wide area (e.g. by containment or oil
		barriers).
		Retain and dispose of contaminated wash water.
		Local authorities should be advised if significant spillages
		cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-
-------------------------	---	---

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents Gases
7.3 Specific end use(s) Specific use(s)	:	No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

8.2 Exposure controls

Engineering measures Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.				
Personal protective equipme				
Eye/face protection	:	Wear the following personal protective equipment: Safety glasses Equipment should conform to I.S. EN 166		
Hand protection				
Material	:	Chemical-resistant gloves		
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).		
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to I.S. EN 14387		
Filter type	:	Organic vapour type (A)		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	No data available
Odour Threshold	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	< 200 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	134 °C Method: Cleveland open cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	0.9169 (15 °C)
Density	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Relative vapour density	: <1.0
Particle characteristics Particle size	: Not applicable
9.2 Other information Explosives	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Acute toxicity

Not classified based on available information.

Components:

4-(1-Phenylethyl)-o-xylene:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
4-(1-Phenylethyl)-m-xylene:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
2-(1-Phenylethyl)-p-xylene: Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401
Ethyl(phenylethyl)benzene:		
Acute oral toxicity	:	LD50 (Rat): > 1,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl(phenylethyl)benzene:

Species :	Rabbit
Result :	Skin irritation
Remarks :	Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

4-(1-Phenylethyl)-o-xylene:

Species	:	Rabbit
---------	---	--------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Result Remarks	:	No eye irritation Based on data from similar materials
4-(1-Phenylethyl)-m-xylene: Species		Rabbit
Result Remarks	:	No eye irritation Based on data from similar materials
Ethyl(phenylethyl)benzene:		
Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials
Respiratory or skin sensitisa	atio	n
Skin sensitisation		
May cause an allergic skin rea	ctic	on.
Respiratory sensitisation		
Not classified based on availal	ble	information.
Product:		
Species		Guinea nia

Species Method Result	:	Guinea pig Buehler Test negative
Species	:	Guinea pig
Method	:	Maximisation Test
Result	:	The product is a skin sensitiser, sub-category 1A.

Components:

4-(1-Phenylethyl)-o-xylene:

Test Type :	Buehler Test
Exposure routes :	Skin contact
Species :	Guinea pig
Result :	negative
Remarks :	Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Test Type :	:	Buehler Test
Exposure routes :	:	Skin contact
Species :	:	Guinea pig
Result :	:	negative
Remarks :	:	Based on data from similar materials

Ethyl(phenylethyl)benzene:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Species Method Result Remarks		Mouse OECD Test Guideline 429 negative Based on data from similar materials
Germ cell mutagenicity Not classified based on availa	ble	information.
Components:		
4-(1-Phenylethyl)-o-xylene:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
4-(1-Phenylethyl)-m-xylene:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
		Result: negative Remarks: Based on data from similar materials
2-(1-Phenylethyl)-p-xylene:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Ethyl(phenylethyl)benzene:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

4-(1-Phenylethyl)-o-xylene:

:	Rat
:	Ingestion
:	24 Months
:	negative
:	Based on data from similar materials
	:

4-(1-Phenylethyl)-m-xylene:

Species :	Rat
Application Route :	Ingestion
Exposure time :	24 Months
Result :	negative
Remarks :	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

4-(1-Phenylethyl)-o-xylene:	
Effects on fertility :	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- : ment	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422	Effects on fertility	:	Application Route: Ingestion
---	----------------------	---	------------------------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Effects on foetal develop- ment	:	Result: negative Remarks: Based on data from similar materials Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
2-(1-Phenylethyl)-p-xylene:		
Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal develop- ment	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Ethyl(phenylethyl)benzene:		
Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Components:

2-(1-Phenylethyl)-p-xylene:

Exposure routes Target Organs	:	Ingestion Adrenal gland
Assessment	:	Shown to produce significant health effects in animals at con- centrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

2-(1-Phenylethyl)-p-xylene:

Species	:	Rat, male
LOAEL	:	12.5 mg/kg
Application Route	:	Ingestion
Exposure time	:	47 Days
Method	:	OECD Test Guideline 422

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

4-(1-Phenylethyl)-o-xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

4-(1-Phenylethyl)-m-xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

2-(1-Phenylethyl)-p-xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Ethyl(phenylethyl)benzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

SECTION 12: Ecological information

12.1 Toxicity **Components:** 4-(1-Phenylethyl)-o-xylene: Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l aquatic invertebrates Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials M-Factor (Acute aquatic tox- : 1 icity) Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials M-Factor (Chronic aquatic : 1 toxicity) 4-(1-Phenylethyl)-m-xylene: Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l Toxicity to daphnia and other : aquatic invertebrates Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials M-Factor (Acute aquatic tox- : 1 icity) Toxicity to microorganisms 5 EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials M-Factor (Chronic aquatic : 1 toxicity)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

2-(1-Phenylethyl)-p-xylene: Toxicity to fish	:	LC50 (Oryzias latipes (Orange-red killifish)): 0.31 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.25 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (fresh water algae)): > 1.54 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Selenastrum capricornutum (fresh water algae)): 0.73 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.034 mg/l Exposure time: 40 d Species: Oryzias latipes (Japanese medaka) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC: 0.009 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	10
Ethyl(phenylethyl)benzene: Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

			Remarks: Based on data from similar materials
	M-Factor (Chronic aquatic toxicity)	:	1
12.2	2 Persistence and degradabili	ty	
	Components:		
	4-(1-Phenylethyl)-o-xylene: Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
	4-(1-Phenylethyl)-m-xylene:		
	Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
	2-(1-Phenylethyl)-p-xylene:		
	Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301C
	Ethyl(phenylethyl)benzene:		
	Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
12.3 Bioaccumulative potential			
Components:			
	4-(1-Phenylethyl)-o-xylene:		
	Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): > 500 Method: OECD Test Guideline 305 Remarks: Based on data from similar materials
	Partition coefficient: n- octanol/water	:	log Pow: > 4 Remarks: Calculation
	4-(1-Phenylethyl)-m-xylene:		
	Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): > 500 Method: OECD Test Guideline 305 Remarks: Based on data from similar materials
	Partition coefficient: n- octanol/water	:	log Pow: > 4 Remarks: Calculation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

2-(1-Phenylethyl)-p-xylene:					
Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 620 - 760 Method: OECD Test Guideline 305			
Partition coefficient: n- octanol/water	:	log Pow: 5.39 Method: OECD Test Guideline 107			
Ethyl(phenylethyl)benzene:					
Partition coefficient: n- octanol/water	:	log Pow: > 4 Remarks: Calculation			
12.4 Mobility in soil	12.4 Mobility in soil				
No data available					
12.5 Results of PBT and vPvB assessment					
Product:					
Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
12.6 Endocrine disrupting properties					
Product:					
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to			

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

SECTION 14: Transport information

14.1 UN number or ID number			
ADN	:	UN 3082	
ADR	:	UN 3082	
RID	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)	
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)	
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)	
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)	
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)	
14.3 Transport hazard class(es)			
		Class Subsidiary risks	
ADN	:	9	
ADR	:	9	
RID	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADN Packing group Classification Code Hazard Identification Number Labels ADR Packing group Classification Code Hazard Identification Number		III M6 90 9 9	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

	Labels Tunnel restriction code	:	9 (-)
	RID Packing group Classification Code Hazard Identification Number Labels	: : :	III M6 90 9
	IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	964 Y964 III Miscellaneous
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		964 Y964 III Miscellaneous
14.5	5 Environmental hazards		
	ADN Environmentally hazardous ADR	:	yes
	Environmentally hazardous RID Environmentally hazardous	:	yes yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
	Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable	
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable	
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable	
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable	
Seveso III: Directive 2012/18/EU of the European Parlian major-accident hazards involving dangerous substances.	ent and of the Council on the control of	

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL	100 t	200 t
	HAZARDS		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

are highlighted in the body of this document by two vertical lines.

Full text of H-Statements				
H304	:	May be fatal if swallowed and enters airways.		
H315	:	Causes skin irritation.		
H373	:	May cause damage to organs through prolonged or repeated exposure.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
Aquatic Acute	:	Short-term (acute) aquatic hazard		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		

Skin Irrit. : Skin irritation STOT RE : Specific target of

: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

IMMOIL-F30CC

Sources of key data used t compile the Safety Data Sheet	eC	ernal technical data, data from raw material SDSs, OECD Chem Portal search results and European Chemicals Agen- , http://echa.europa.eu/	
Classification of the mixt	ure:	Classification procedure:	
Skin Sens. 1A	H317	Based on product data or assessment	
Asp. Tox. 1	H304	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN